



*Advancing the Practical Application  
of Suspension Technology*



# H & CH9700 PRICES & WEIGHTS

1. All prices shown are approximate list prices **less** 354-00 springs. The use of other springs and their associated components may result in slight variations in price. For units **with** springs see the Spring Prices sheet for the net amount to be added to the unit price calculated, based on your discount.
2. Weights given are approximate for units **less** 354-00 springs. For weights obtained when using other springs see the Spring Option Chart within.
3. For units of more than two axles, equipped with taper leaf springs, add \$19.60 list/"Multi-Axle Conversion Kit" (MAC) for bumpout blocks. Each MAC requires four bumpout blocks.
4. For units with "Limited Spring Freeplay" contact Hutchens Industries.
5. All prices shown are for 5" round axles. Contact Hutchens for pricing on other axle shapes.
6. Our standard tandem axle spacing is 49". For axle spacings not listed (i.e., 42", 44" and 51"), special assemblies or unassembled units, contact Hutchens Industries.
7. Terms: Net 30 days, with approved credit, on all items.
8. Prices are F.O.B. our factory, and are subject to any applicable taxes.
9. Though we make every effort to notify all customers in advance of any price change, **prices are subject to change without notice.**



*Advancing the Practical Application of Suspension Technology*

215 NORTH PATTERSON SPRINGFIELD, MISSOURI 65802-2206  
417/862-5012 1 (800) 654-8824 FAX 417/862-2317



# H & CH9700

## Spring Option Chart

Add these weights as indicated to obtain weight of suspension complete with springs.

Spring Part Number	Spring Description	Single Axle & Multi-Axle Conv.	Tandem Axle & Tandem Widespread
324-01	High Arch, 2 Leaf	+ 97 lbs.	+ 194 lbs.
325-01	Medium Arch, 2 Leaf	+ 92	+ 184
326-01	Low Arch, 2 Leaf	+ 92	+ 185
354-00	High Arch, 3 Leaf	+ 106	+ 211
355-00	Medium Arch, 3 Leaf	+ 104	+ 207
356-00	Low Arch, 3 Leaf	+ 104	+ 208
363-00	Low Arch, Single Leaf	+ 68	+ 137
365-00	High Arch, Heavy Duty, 3 Leaf	+ 130	+ 261
365-01	Low Arch, Heavy Duty, 3 Leaf	+ 129	+ 258
751-01	Low Arch, 7 Leaf	+ 183	+ 365
751-04	Low Arch, 6 Leaf, 42 1/2" & 44" Axle Spacing	+ 143	+ 285
751-05	High Arch, 7 Leaf	+ 187	+ 374
751-06	High Arch, 7 Leaf, Single Axles & Widespreads	+ 191	+ 383
751-08	High Arch, 7 Leaf, Middle Spring for Tri-Axles	+ 185	+ 370
752-01	Low Arch, 8 leaf	+ 199	+ 397
752-05	High Arch, 8 Leaf	+ 202	+ 405
752-06	High Arch, 8 Leaf, Single Axle & Widespreads	+ 206	+ 412
752-07	High Arch, 8 Leaf, Middle Spring for Tri-Axles	+ 202	+ 403
7051-42	Low Arch, Single Leaf, 42 1/2" & 44" Axle Spacing	+ 59	+ 118
16316-01	Low Arch, Heavy Duty "Liteflex" (composite)	+ 42	+ 84
16710-01	Medium Arch, 2 Leaf, 2 Stage	+ 118	+ 236
17882-01	Medium Arch, 2 Leaf, 2 Stage, Widespread Center Spring	+ 118	+ 236



# Single Axle

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>407.16</b>	<b>415.51</b>	<b>419.18</b>	<b>429.43</b>	<b>432.42</b>	<b>439.81</b>	<b>444.97</b>	<b>451.14</b>	<b>460.68</b>
Base Weight (lbs)	134	136	139	141	144	146	148	150	153
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**Available Hanger Options: Add to base price and weight as indicated**

Hangers				
	H-9700		CH-9700	
Hanger Type	Price (\$)	Weight (lbs)	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base	+159.00	-3
Un/Mt I-Beam	-50.45	-11	NA	NA
Under Mount	+50.94	+3	+94.35	-9
Side Mount	+121.31	+13	+94.35	-9
Flange Mt. Weld-On	+145.53	+25	+173.09	+11
Flange Mt. Bolt-On	+150.74	+25	+242.77	+10



# Tandem Axle (49" Axle Centers)

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>936.08</b>	<b>952.79</b>	<b>960.13</b>	<b>980.63</b>	<b>986.59</b>	<b>1001.41</b>	<b>1011.70</b>	<b>1024.06</b>	<b>1043.15</b>
Base Weight (lbs)	288	293	297	303	307	311	316	321	326
No-Hop (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**Available Hanger Options: Add to base price and weight as indicated**

Hangers				
	H-9700		CH-9700	
Hanger Type	Price (\$)	Weight (lbs)	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base	+308.97	+3
Un/Mt I-Beam	-47.84	-5	NA	NA
Under Mount	+52.91	+8	+223.60	-5
Side Mount	+177.31	+23	+223.60	-5
Flange Mt. Weld-On	+234.42	+39	+322.77	+27
Flange Mt. Bolt-On	+253.36	+38	+427.27	+25



# Multi-Axle Conversion Kits (One Required for Each Axle Beyond a Tandem)

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>528.93</b>	<b>537.28</b>	<b>540.95</b>	<b>551.20</b>	<b>554.17</b>	<b>561.60</b>	<b>566.73</b>	<b>572.92</b>	<b>582.47</b>
Base Weight (lbs)	154	156	159	161	164	166	168	170	173
No-Hop (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**Available Hanger Options: Add to base price and weight as indicated**

Hangers				
	H-9700		CH-9700	
Hanger Type	Price (\$)	Weight (lbs)	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base	+149.99	+5
Under Mount	+1.96	+5	+129.24	+5
Side Mount	+56.00	+10	+129.24	+5
Flange Mt. Weld-On	+88.89	+14	+149.68	+17
Flange Mt. Bolt-On	+102.62	+13	+184.50	+16



# H-9700 Tandem Widespread

(54.5, 57.5, 61, 73 & 81)

**54.5**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1307.44</b>	<b>1324.13</b>	<b>1331.50</b>	<b>1351.98</b>	<b>1357.93</b>	<b>1372.75</b>	<b>1383.03</b>	<b>1395.41</b>	<b>1414.51</b>
Base Weight (lbs)	332	337	341	346	351	356	361	366	370
No-Hop (\$)	+129.86	+126.04	+127.48	+121.46	+127.27	+124.69	+128.18	+128.94	+127.23
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**57.5**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1497.95</b>	<b>1514.65</b>	<b>1522.00</b>	<b>1542.50</b>	<b>1548.44</b>	<b>1563.28</b>	<b>1573.55</b>	<b>1585.92</b>	<b>1605.01</b>
Base Weight (lbs)	331	336	341	346	351	356	361	365	370
No-Hop (\$)	+128.84	+125.02	+126.45	+120.44	+126.24	+123.67	+127.14	+127.91	+126.21
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**61**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1510.05</b>	<b>1526.75</b>	<b>1534.12</b>	<b>1554.62</b>	<b>1560.56</b>	<b>1575.38</b>	<b>1585.66</b>	<b>1598.05</b>	<b>1617.13</b>
Base Weight (lbs)	339	346	351	355	360	365	370	375	379
No-Hop (\$)	+128.96	+125.13	+126.56	+120.55	+126.37	+123.79	+127.27	+128.02	+126.33
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**73**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1565.60</b>	<b>1582.31</b>	<b>1589.65</b>	<b>1610.16</b>	<b>1616.11</b>	<b>1630.93</b>	<b>1641.21</b>	<b>1653.59</b>	<b>1672.67</b>
Base Weight (lbs)	372	377	382	387	392	397	402	407	411
No-Hop (\$)	+128.69	+124.87	+126.30	+120.29	+126.10	+123.53	+127.00	+127.75	+126.07
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**81**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1613.84</b>	<b>1630.52</b>	<b>1637.89</b>	<b>1658.37</b>	<b>1664.33</b>	<b>1679.16</b>	<b>1689.43</b>	<b>1701.81</b>	<b>1720.90</b>
Base Weight (lbs)	393	398	403	407	412	417	422	427	431
No-Hop (\$)	+128.55	+124.73	+126.16	+120.15	+125.95	+124.84	+126.86	+127.62	+125.94
Inverted U-Bolts (\$)	+35.31	+36.14	+40.34	+32.29	+33.21	+29.60	+36.48	+37.08	+38.81
Underslung (\$)	+100.53	+91.95	+96.21	+88.26	---	---	---	---	---

**Available Hanger Options: Add to base price and weight as indicated**

Hangers				
	H-9700		CH-9700	
Hanger Type	Price (\$)	Weight (lbs)	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base	+159.00	-7
Under Mount	+27.46	+5	+70.87	-11
Side Mount	+97.84	+14	+70.87	-11
Flange Mt. Weld-On	+176.76	+40	+204.33	+19
Flange Mt. Bolt-On	+219.13	+40	+311.16	+19



# Multi-Axle Conversion Kits

One required for each Axle Beyond a Tandem

**54.5**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>900.27</b>	<b>908.63</b>	<b>912.30</b>	<b>922.55</b>	<b>925.53</b>	<b>932.93</b>	<b>938.09</b>	<b>944.26</b>	<b>953.80</b>
Base Weight (lbs)	197	199	202	204	207	209	211	214	216
No-Hop (\$)	+129.86	+126.04	+127.48	+121.46	+127.27	+124.69	+128.18	+128.94	+127.23
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**57.5**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1090.80</b>	<b>1099.14</b>	<b>1102.82</b>	<b>1113.05</b>	<b>1116.04</b>	<b>1123.47</b>	<b>1128.59</b>	<b>1134.78</b>	<b>1144.33</b>
Base Weight (lbs)	196	199	201	204	206	209	211	213	216
No-Hop (\$)	+128.84	+125.02	+126.45	+120.44	+126.24	+123.67	+127.14	+127.91	+126.21
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**61**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1102.91</b>	<b>1111.26</b>	<b>1114.93</b>	<b>1125.18</b>	<b>1128.16</b>	<b>1135.57</b>	<b>1140.71</b>	<b>1146.91</b>	<b>1156.44</b>
Base Weight (lbs)	206	209	211	213	216	218	221	223	225
No-Hop (\$)	+128.96	+125.13	+126.56	+120.55	+126.37	+123.79	+127.27	+128.02	+126.33
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**73**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1158.46</b>	<b>1166.81</b>	<b>1170.48</b>	<b>1180.73</b>	<b>1183.71</b>	<b>1191.12</b>	<b>1196.25</b>	<b>1202.44</b>	<b>1211.98</b>
Base Weight (lbs)	238	240	243	245	247	250	252	255	257
No-Hop (\$)	+128.69	+124.87	+126.30	+120.29	+126.10	+123.53	+127.00	+127.75	+126.07
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**81**

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>1206.67</b>	<b>1215.02</b>	<b>1218.70</b>	<b>1228.94</b>	<b>1231.92</b>	<b>1239.33</b>	<b>1244.48</b>	<b>1250.66</b>	<b>1260.20</b>
Base Weight (lbs)	258	261	263	265	268	270	273	275	277
No-Hop (\$)	+128.55	+124.73	+126.16	+120.15	+125.95	+124.84	+126.86	+127.62	+125.94
Inverted U-Bolts (\$)	+17.65	+18.06	+20.17	+16.14	+16.61	+14.80	+18.24	+18.54	+19.40
Underslung (\$)	+50.27	+45.97	+48.11	+44.13	---	---	---	---	---

**Available Hanger Options: Add to base price and weight as indicated**

Hangers		
H-9700		
Hanger Type	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base
Under Mount	-26.84	+1
Side Mount	-26.84	+1
Flange Mt. Weld-On	+31.23	+14
Flange Mt. Bolt-On	+69.39	+14



# H-9700 Tandem Widespread

## Overslung Axle Configurations

(97, 109 & 121)

# 109

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	<b>2158.44</b>	<b>2171.31</b>	<b>2180.10</b>	<b>2194.58</b>	<b>2206.34</b>	<b>2218.60</b>	<b>2232.35</b>	<b>2245.49</b>	<b>2262.88</b>
Base Weight (lbs)	542	548	554	559	565	570	576	581	586

Available Options: Add to base price and weight as indicated.

# 97

Base Price - \$48.98
Base Weight - 36 lbs.

# 121

Base Price + \$119.08
Base Weight + 37 lbs.

Hangers		
H-9700		
Hanger Type	Price (\$)	Weight (lbs)
Straddle Mount	Base	Base
Under Mount	+30.13	+2
Flange Mt. Bolt-On	NA	NA

Optional Forward Beam Guides*		
H-9700		
Hanger Type	Price (\$)	Weight (lbs)
Straddle Mount	+229.16	+48
Under Mount	+208.91	+47
Flange Mt. Bolt-On	NA	NA



# H-9700 Tandem Widespread

## Underslung Axle configurations

(97, 109 & 121)

# 109

Seat Height	3/4
Base Price (\$)	<b>2528.00</b>
Base Weight (lbs)	617

Available Options: Add to base price and weight as indicated.

# 97

Base Price - \$48.98
Base Weight - 36 lbs.

# 121

Base Price + \$223.24
Base Weight + 37 lbs.

\* Available upon request. Must be specified

Forward beam guides are standard with underslung 97", 109" and 121" model widespreads.

Note: The H9700 tandem widespread suspension in an underslung configuration with axle spacings of 97", 109" and 121" is available with undermount hangers only.