



Effective July 1, 2009

**THE WORLD'S LEADING
MANUFACTURER OF TRAILER SLIDERS
FOR OVER THREE DECADES.**

Slider



PRICES & WEIGHTS



Advancing the Practical Application of Suspension Technology

215 NORTH PATTERSON SPRINGFIELD, MISSOURI 65802-2206
417/862-5012 1 (800) 654-8824 FAX 417/862-2317

1. All prices shown are approximate list prices **less** springs.
2. Weights given are approximate for sliders **less** springs.
3. Terms are net 30 days, with approved credit, on all items.
4. Prices are F.O.B. our factory, and are subject to any applicable taxes.
5. **Prices are subject to change without notice.**
6. For special assemblies not on this list (i.e. fixed subframes) please contact Hutchens Industries.

Featuring .229 Side Rails and "EZ Pull" Pin Release

H-9821



List price includes the following standard specifications:

- 1) Overall height (as measured from top of body rail to bottom of sliding subframe): 10 1/2 inches.
- 2) Frame widths: 42 - 48 inches (38"- 44" spring centers).
- 3) 4-pin locking mechanism with "EZ Pull".
- 4) A locator bar assembly. (16 lbs.)
- 5) H9700T straddlemount suspension for 5" rd. axles with hangers, rockers and pipe braces installed to accommodate 49" axle centers.

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	2004.53	2021.28	2028.59	2049.07	2055.03	2069.86	2080.13	2092.50	2111.59
Base Weight (lbs)	730	736	740	745	750	755	760	766	769
No-Hop Option (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28

Available options for the H-9821 model slider:

2 ea. body rails.....Add **List Price**
See chart

For options, widespreads and multi-axle sliders contact Hutchens.

H-8900/8901

For Air Suspensions



List price includes the following standard specifications:

- 1) Overall height (as measured from top of body rail to bottom of sliding subframe): 10 1/2 inches.
 - 2) Frame widths: 42 - 48 inches.
 - 3) 4-pin locking mechanism.
 - 4) A locator bar assembly. (16 lbs.)
 - 5) Installation of Frame Bracket Assembly.
- (Note: List price includes installation only, not the cost of the items).

Available options for the H-8900 model slider:

2 ea. body rails.....Add **List Price**
See Chart

For options, widespreads and multi-axle sliders contact Hutchens.

Slider	List Price (\$)	Weight (lbs)
Single Axle	1744.56	390
Tandem Axle	2694.75	710

Note: Weight given is approximate with no air ride hangers attached.

H-9200



List price includes the following standard specifications:

- 1) Overall height (as measured from top of body rail to bottom of sliding subframe): 10 1/2 inches.
- 2) Frame widths: 38 - 44 inches (38"- 44" spring centers).
- 3) 4-pin locking mechanism.
- 4) A locator bar assembly. (14 lbs.)
- 5) The attachment of an H9700T flangemount bolt-on suspension for 5" rd. axles with hangers, rockers and pipe braces installed to accommodate 49" axle centers.

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	2902.41	2919.11	2926.46	2946.94	2952.91	2967.74	2978.01	2990.38	3009.48
Base Weight (lbs)	780	785	789	794	799	803	808	812	816
No-Hop Option (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28

Available options for the H-9200 model slider:

2 ea. body rails.....Add **List Price**
See chart
Galvanizing of sliding subframe and
hanger group (minimum order of
25 units required).....Add \$ Call

For options, widespreads and multi-axle sliders contact Hutchens.

Van Trailer Type

16816-XX Body Rails Add-On Prices and Weights (16816 series body rails are constructed of .275" material)

Part No.	Length	List/Pair	Weight/Pair	Part No.	Length	List/Pair	Weight/Pair
16816-50	92"	\$ 219.14	106 lbs.	16816-21	224"	\$ 431.85	257 lbs.
16816-48	120"	\$ 280.26	138 lbs.	16816-22	228"	\$ 437.63	261 lbs.
16816-01	144"	\$ 312.61	165 lbs.	16816-23	232"	\$ 443.98	266 lbs.
16816-02	148"	\$ 313.51	170 lbs.	16816-24	236"	\$ 450.69	270 lbs.
16816-03	152"	\$ 319.75	174 lbs.	16816-25	240"	\$ 455.61	276 lbs.
16816-04	156"	\$ 322.50	179 lbs.	16816-26	244"	\$ 461.01	279 lbs.
16816-05	160"	\$ 330.33	183 lbs.	16816-27	248"	\$ 466.48	284 lbs.
16816-06	164"	\$ 338.58	188 lbs.	16816-28	252"	\$ 474.08	289 lbs.
16816-07	168"	\$ 344.48	193 lbs.	16816-29	256"	\$ 482.88	293 lbs.
16816-08	172"	\$ 350.91	197 lbs.	16816-30	260"	\$ 488.11	298 lbs.
16816-09	176"	\$ 356.55	202 lbs.	16816-31	264"	\$ 494.59	302 lbs.
16816-10	180"	\$ 362.39	206 lbs.	16816-32	268"	\$ 500.84	307 lbs.
16816-11	184"	\$ 368.46	211 lbs.	16816-33	272"	\$ 509.25	311 lbs.
16816-12	188"	\$ 374.55	215 lbs.	16816-34	276"	\$ 577.60	316 lbs.
16816-13	192"	\$ 380.55	221 lbs.	16816-35	280"	\$ 583.08	321 lbs.
16816-14	196"	\$ 388.09	223 lbs.	16816-36	284"	\$ 591.51	325 lbs.
16816-15	200"	\$ 392.52	230 lbs.	16816-37	288"	\$ 599.98	330 lbs.
16816-16	204"	\$ 398.53	234 lbs.	16816-38	292"	\$ 616.88	334 lbs.
16816-17	208"	\$ 404.22	238 lbs.	16816-39	296"	\$ 622.49	340 lbs.
16816-18	212"	\$ 410.53	241 lbs.	16816-40	300"	\$ 628.04	343 lbs.
16816-19	216"	\$ 416.56	247 lbs.	16816-45	308"	\$ 644.80	353 lbs.
16816-20	220"	\$ 423.77	251 lbs.	16816-49	320"	\$ 675.69	369 lbs.
				16816-47	328"	\$ 692.58	375 lbs.

12713-XX Body Rails Add-On Prices and Weights (12713 series body rails are constructed of .232" material)

Part No.	Length	List/Pair	Weight/Pair	Part No.	Length	List/Pair	Weight/Pair
12713-56	80"	\$ 119.00	79 lbs.	12713-30	220"	\$ 276.84	215 lbs.
12713-54	100"	\$ 139.50	97 lbs.	12713-26	224"	\$ 281.44	218 lbs.
12713-55	124"	\$ 218.24	122 lbs.	12713-15	228"	\$ 285.96	222 lbs.
12713-51	128"	\$ 223.89	125 lbs.	12713-31	232"	\$ 290.56	225 lbs.
12713-57	136"	\$ 237.41	133 lbs.	12713-40	236"	\$ 295.16	229 lbs.
12713-36	144"	\$ 189.92	140 lbs.	12713-17	240"	\$ 310.45	233 lbs.
12713-24	148"	\$ 194.48	143 lbs.	12713-32	244"	\$ 315.05	237 lbs.
12713-25	152"	\$ 199.04	147 lbs.	12713-41	248"	\$ 319.60	241 lbs.
12713-37	156"	\$ 203.35	152 lbs.	12713-42	252"	\$ 324.19	245 lbs.
12713-38	160"	\$ 208.20	156 lbs.	12713-33	256"	\$ 328.76	249 lbs.
12713-02	164"	\$ 212.79	160 lbs.	12713-43	260"	\$ 333.34	253 lbs.
12713-04	168"	\$ 217.37	164 lbs.	12713-21	264"	\$ 337.91	256 lbs.
12713-18	172"	\$ 221.93	167 lbs.	12713-22	268"	\$ 342.48	260 lbs.
12713-05	176"	\$ 226.51	171 lbs.	12713-44	272"	\$ 356.20	264 lbs.
12713-27	180"	\$ 231.08	175 lbs.	12713-23	276"	\$ 351.64	268 lbs.
12713-39	184"	\$ 235.65	179 lbs.	12713-34	280"	\$ 356.20	272 lbs.
12713-06	188"	\$ 240.24	183 lbs.	12713-45	284"	\$ 360.77	276 lbs.
12713-09	192"	\$ 244.80	187 lbs.	12713-46	288"	\$ 365.39	280 lbs.
12713-20	196"	\$ 249.40	191 lbs.	12713-35	292"	\$ 369.95	284 lbs.
12713-10	200"	\$ 253.96	194 lbs.	12713-47	296"	\$ 374.55	288 lbs.
12713-11	204"	\$ 258.53	198 lbs.	12713-29	300"	\$ 379.11	291 lbs.
12713-28	208"	\$ 263.11	202 lbs.	12713-53	304"	\$ 383.68	295 lbs.
12713-12	212"	\$ 267.69	206 lbs.	12713-48	308"	\$ 388.28	299 lbs.
12713-14	216"	\$ 272.25	210 lbs.	12713-50	316"	\$ 397.40	307 lbs.
				12713-49	328"	\$ 411.16	319 lbs.

(For special lengths or special hole locations, contact Hutchens)



Advancing the Practical Application of Suspension Technology

215 NORTH PATTERSON SPRINGFIELD, MISSOURI 65802-2206
417/862-5012 1 (800) 654-8824 FAX 417/862-2317

H-8500

Platform Trailer Type

List price includes the following standard specifications:

- 1) Spring Centers: 38 - 44 inches.
- 2) 4-Pin locking mechanism.
- 3) 2 ea. 192 inch body rails (Part #8178-02).
- 4) A locator bar assembly. (16 lbs.)
- 5) H9700T sidemount suspension for 5" rd. axles with hangers, rockers and pipe braces installed to accommodate 49" axle centers.

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	2909.07	2925.76	2933.11	2953.62	2959.56	2974.39	2984.66	2997.04	3016.13
Base Weight (lbs)	936	941	945	949	954	958	963	967	971
No-Hop Option (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28

For options, widespreads and multi-axle sliders contact Hutchens.

H-9000

List price includes the following standard specifications:

- 1) Spring Centers: 36 - 44 inches.
- 2) 4-Pin locking mechanism.
- 3) A locator bar assembly. (15 lbs.)
- 4) H9700T sidemount suspension for 5" rd. axles with hangers, rockers and pipe braces installed to accommodate 49" axle centers.

Spring Seat Height	3/4	1 1/4	1 3/4	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4
Base List Price (\$)	2323.28	2339.98	2347.34	2367.82	2373.79	2388.61	2398.88	2411.26	2430.35
Base Weight (lbs)	741	746	750	755	760	764	769	773	777
No-Hop Option (\$)	+159.89	+156.07	+157.50	+151.49	+157.30	+154.73	+158.21	+158.97	+157.28

For options, widespreads and multi-axle sliders contact Hutchens.

H-9100

For Air Suspensions

List price includes the following standard specifications:

- 1) Overall height (as measured from top of body rail to bottom of sliding subframe) :6 inches.
- 2) I-beam web centers of 38-44 inches (air suspension beam centers 35"-41").
- 3) 4-pin locking mechanism.
- 4) A locator bar assembly. (16 lbs.)
- 5) Installation of air ride hangers and bag plates (Note: List price includes installation only, not the cost of these items).

Slider	List Price (\$)	Weight (lbs)
Single Axle	2305.96	657
Tandem Axle	3109.95	942

Note: Weight given is approximate with no air ride hangers attached.

For options, widespreads and multi-axle sliders contact Hutchens.

H-9036i

Chassis Trailer Type



List price includes the following standard specifications:

- 1) Spring/I-Beam Centers: 36 inches.
- 2) 2-Pin locking mechanism.

- 3) CH9700T sidemount suspension for 5" rd. axles with hangers and fabricated rockers installed to accommodate 49" axle centers.

Spring Seat Height	$\frac{3}{4}$	1 $\frac{1}{4}$	1 $\frac{3}{4}$	2 $\frac{1}{4}$	2 $\frac{3}{4}$	3 $\frac{1}{4}$	3 $\frac{3}{4}$	4 $\frac{1}{4}$	4 $\frac{3}{4}$
Base List Price (\$)	1896.44	1913.15	1920.49	1940.99	1946.95	1961.77	1972.06	1984.42	2003.51
Base Weight (lbs)	546	551	555	561	565	569	574	579	584